

DURHAM



1 8 6 9
CITY OF MEDICINE

Annual Vehicle Purchase

Bid No. 11-082-12

**City of Durham
Finance Department
Purchasing Division**



CITY OF DURHAM

Finance Department

101 CITY HALL PLAZA, ANNEX BLDG. | DURHAM, NC 27701

919.560.4132 | F 919.560.4325

www.durhamnc.gov

Notice to Prospective Bidders

Annual Vehicle Purchase

Bid No. 11-082-12

The City of Durham Purchasing Division will hold a pre-bid conference on the **13th of December, 2012 at 10:00a.m.**, in the Finance Department Conference Room, 1st Floor, 101 City Hall Plaza (Annex), Durham, North Carolina.

All Sales representatives are cordially invited to attend. Enclosed for your convenience is a copy of the Bid Proposal and Specifications. Any questions may be referred to Chris Bernat, Purchasing Agent at 919-560-4132 ext. 18224 or by email chris.bernat@durhamnc.gov.

Instructions to Bidders

1. This bid includes the following:
 - Instructions to Bidders
 - Equal Employment Opportunity Requirement
 - Special Conditions (When required)
 - Specifications (When necessary)
 - Bid Proposal Form
 - Contract Form (When required)
 - Small Disadvantaged Business Enterprise (SDBE) Forms (When applicable)
2. Bids will be opened at the time and place shown on the enclosed Bid Proposal Form. Late bids will not be considered.
3. Bids will be examined promptly after opening and an award made at the earliest possible date. No bids may be withdrawn, however, until 90 days after bid opening date.
4. Submit bids only on the bid proposal form(s) provided herein.
5. The City Council normally takes official action on bids within 3 or 4 weeks after the bid opening date. The council meets officially at 7:00 p.m., the first and third Monday nights of each month in the City Council Chambers of City Hall.
6. **AWARD OF BID:** Bids shall be awarded to the lowest responsible bidder taking into consideration quality, performance, and the time specified in the proposal for the performance of the contract.
7. Each bid must be submitted in a sealed envelope, showing the bid title, date and time of opening on the front of the envelope.
8. All bids must be signed by an authorized official of the firm. Bids may be rejected if they show any omissions, alterations of form, additions not called for, conditional bid or any irregularities of any kind.
9. **TAXES:** Do not include taxes in bid figures. Successful bidders should add sales tax to their invoice when billing the City. The City is exempt from Federal excise tax and will issue a Federal exemption certificate.
10. **INFORMATION:** Questions concerning bid requirements or specifications should be directed to the City Purchasing Division, Durham, N. C. Telephone 919-560-4132. All changes in specifications shall be in writing in the form of an addendum and furnished to all bidders. **Verbal information obtained otherwise will not be considered in awarding of bids.** No changes to specifications will be permitted within ten days prior to the bid opening.

Instructions to Bidders

11. The Equal Employment Opportunity Statement which appears herein is a condition of the contract. The contract must be signed by the successful bidder and the City; and the successful bidder must comply with the equal employment opportunity condition.
12. It is the City's policy to furnish a bid tabulation to all bidders upon notification of award or upon returning bid deposits. All bidders are welcome to attend bid openings.
13. **ALTERNATE BIDS:** Do not submit alternate bids unless called for on the bid proposal form. When alternate bids are requested the bidder must submit documentation as a part of the bid to show that the product is comparable to the item(s) referred to in the specifications.
14. In the event of a tie bid, and all terms, deliveries, etc. are the same; a drawing certified by the City Clerk will choose the successful bidder. Preference to a bidder will be given only in the event one of the tie bids is that of a local vendor.
15. The General Statutes of the State of North Carolina, the Charter of the City of Durham, and City Ordinances, insofar as they apply to purchasing and competitive bidding, are made a part hereof.
16. The City reserves the right to reject any or all proposals. It further reserves the right to waive formalities and technicalities in so far as it is authorized to do so where it deems it advisable in protection of the best interest of the City.
17. Questions concerning Small Disadvantaged Business Enterprise (SDBE) requirements (when applicable) should be directed to the City's Equal Opportunity/Equity Assurance Department, telephone (919) 560-4180.
18. The City of Durham encourages participation from Minority (MBE), Women (WBE), and Disadvantaged (DBE) business suppliers.
19. All contractors receiving awards must be compliant to the City of Durham procedures, which include obtaining a City of Durham Privilege License. To obtain a Privilege License, call (919) 560-4700 or visit the following web site:
http://www.durhamnc.gov/departments/finance/business_license.cfm

Instructions to Bidders

20. Assistance in completing bid forms is available by contacting the City Purchasing Office, Chris Bernat at telephone (919) 560-4132 ext. 18224.

Lynette McRae
Purchasing Supervisor

Chris Bernat
Purchasing Agent

Raushan Gross
Purchasing Agent

21. **MALING INSTRUCTIONS:** Mail only one fully executed bid document, unless otherwise instructed, and only one bid per envelope. Address envelope and insert bid number as shown below: It is the **responsibility** of the bidder to have the bid in this office by the specified time and date of opening. Our office does not take responsibility for any bids not delivered to the Purchasing Division.

<u>DELIVERED BY US POSTAL SERVICE</u> <u>(REGULAR/STANDARD MAIL ONLY)</u>	<u>DELIVERED BY ANY OTHER MEANS/SPECIAL</u> <u>DELIVERY/OVERNIGHT (BY ANY OTHER CARRIER)</u>
BID NO. _____ CITY OF DURHAM FINANCE DEPARTMENT PURCHASING DIVISION 101 CITY HALL PLAZA DURHAM, NORTH CAROLINA 27701	BID NO. _____ CITY OF DURHAM FINANCE DEPARTMENT PURCHASING DIVISION 101 CITY HALL PLAZA (ANNEX), 1ST FLOOR DURHAM, NORTH CAROLINA 27701

*******SPECIAL NOTE – PLEASE READ*******

The US Postal Service DOES NOT deliver any mail (US Postal Express Mail, Certified, Priority, Overnight, etc.) to our physical address of 101 City Hall Plaza (Annex).

THANK YOU FOR YOUR INTEREST IN THE CITY OF DURHAM

BID PROPOSAL FORM

(Use this form only)

November 20, 2012

Bid No. 11-082-12

The CITY OF DURHAM invites your bid for the City's **Annual Vehicle Purchase** to be opened at **2:00 p.m., January 9, 2013**, in the Finance Department, Purchasing Division, 1st Floor, 101 City Hall Plaza (Annex), Durham, North Carolina 27701.

Use this form only, for submitting bids. In submitting your proposal, keep in mind any alternations, changes in bid format, etc. will make it difficult to evaluate bids. All items should be bid in the units, quantities, units of measurements, etc. specified. Do not submit alternates unless requested. The City reserves the right to reject any or all proposals.

.....
If the City of Durham issues to the bidder a Purchase Order that refers to the Bid Number shown on this bid, the bidder shall provide the quantities of goods required by the City during the period shown in the "Delivery" box on the Purchase Order (which period begins on the Order Date shown on the Purchase Order) unless that period is changed as provided in the bid documents. The bidder will not be obligated to fulfill a Purchase Order for a quantity that is not in accordance with the quantity limitations, if any, in the bid documents. The bid documents include all conditions, specifications, and terms on file in the City's Purchasing Division under that Bid Number.

Return the following: Bid Proposal Form(s), Bid Deposit (if required), Documentation (if required), SDBE data forms, and Warranty (if applicable) to: (*see mailing instructions – under Instructions to Bidders No. 21*).

Complete all three boxes. Failure to give specific information may nullify bid.

Payment Terms _____	Delivery to be _____ days after receipt of order.	Method of Delivery: ___ Truck ___ Rail ___ Other (specify) _____	Deliveries to be F.O.B. DESTINATION
-------------------------------	--	--	--

I certify that this bid is made without prior understanding, agreement, or connection with any corporation, firm, or person submitting a bid for the same materials, supplies, or equipment and is in all respects fair without collusion or fraud. I understand collusive bidding is a violation of state and federal law and can result in fines, prison sentences, and civil damage awards. The bidder hereby makes an offer to the City of Durham in accordance with the bid documents, including this Bid Proposal Form and all enclosures. The undersigned individual certifies that he or she is authorized to sign this bid for the bidder.

Date _____

The following are enclosed: (check all applicable)

- _____

___ Brochures
___ Warranty

OFFICIAL LEGAL NAME OF BIDDER

ADDRESS

CITY STATE ZIP CODE

AUTHORIZED SIGNATURE

PRINT NAME TITLE

(____) (____)

TELEPHONE NO FAX NO.

FEDERAL I.D. NUMBER

EMAIL/WEB SITE ADDRESS

BID PROPOSAL FORM

(Use this form only)

<u>Item</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
1.	2 each	FOUR DOOR ADMINISTRATIVE SEDAN, as per specifications on pages 12- 14. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
2.	2 each	EXTENDED CAB 2x4 COMPACT PICKUP TRUCK, as per specifications on pages 15-17. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
3.	1 each	EXTENDED CAB 4x4 COMPACT PICKUP TRUCK, as per specifications on pages 18-20. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____

BID PROPOSAL FORM

(Use this form only)

<u>Item</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
4.	1 each	6,500 GVWR 4X4 REGULAR CAB PICKUP TRUCK, as per specifications on pages 21-23. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
5.	2 each	10,000 GVWR 2X4 REGULAR CAB PICKUP TRUCK, as per specifications on pages 24-26. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
6.	2 each	10,000 GVWR 4X4 REGULAR CAB PICKUP TRUCK, as per specifications on pages 27-29. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____

BID PROPOSAL FORM

(Use this form only)

<u>Item</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
7.	1 each	10,000 GVWR 2X4 CREW CAB PICKUP TRUCK, as per specifications on pages 30-32. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
8.	2 each	10,000 GVWR 4X4 EXTENDED CAB PICKUP TRUCK, as per specifications on pages 33-35. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
9.	1 each	19,500 LB. GVWR 4x4 CREW CAB & CHASSIS GAS, as per specifications on pages 36-38. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____

BID PROPOSAL FORM

(Use this form only)

<u>Item</u>	<u>Quantity</u>	<u>Description</u>	<u>Unit Price</u>	<u>Extension</u>
10.	17 each	POLICE AUTOMOBILES-REAR WHEEL DRIVE, PATROL, V8, as per specifications on pages 39-42. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
11.	1 each	POLICE AUTOMOBILES-REAR WHEEL DRIVE, UNMARKED, V6, as per specifications on pages 43-46. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____
12.	2 each	POLICE AUTOMOBILES- PATROL/PURSUIT SUV 4x4, as per specifications on pages 47-50. Manufacturer _____ Model _____ Warranty _____ Delivery _____ days after receipt of order.	\$_____	\$_____

BID PROPOSAL FORM

(Use this form only)

***PLEASE SUBMIT TWO (2) COPIES OF YOUR BID PROPOSAL.
MARK ONE BID AS THE ORIGINAL AND THE OTHER AS A COPY.***

SPECIFICATIONS

FOUR DOOR ADMINISTRATIVE SEDAN

GENERAL:

The following specifications are intended to describe the minimum requirements for a four (4) door sedan to be used for administrative purposes. The vehicle shall be new and of the latest design and shall include all equipment normally furnished as standard equipment including the following:

ENGINE:

Minimum, 2.5 liter four (4) cylinder _____
Fuel Injected _____
Replaceable type air filter _____
Replaceable type oil filter _____
Replaceable type fuel filter _____
175 hp minimum _____
172 lb-ft Torque @ 4,500 rpm minimum _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Six (6) speed automatic _____
Front wheel drive _____

CAB:

Fuel Tank, 17 US gallons, minimum _____
Luggage compartment capacity, 16.0 cubic feet minimum _____
Fresh air heater and defroster _____
Intermittent windshield wipers with washers _____
Front and rear turn signals, self-canceling _____
Automatic backup lights _____
Daytime running lights _____
Dual sun visors _____
Floor carpeting with heavy duty floor mats (front & rear) _____
Arm rests on both front doors _____
Factory installed AM/FM radio _____
Rear window defroster _____
Non-glare interior rear view mirror and exterior rear view mirror _____
Body side molding _____
Safety belts with retractors, front and rear _____
Door actuated courtesy light _____
Factory installed air conditioning (R134A Type Only) _____
Tilt-telescoping steering column _____
Mirrors (power sideview with integrated blind spot mirrors) _____
Power windows and door locks _____

SPECIFICATIONS

Two (2) power points minimum, 12 volt _____
Five (5) passenger seating _____

STEERING:

Power assisted _____

BRAKES:

Power front and rear disc brakes _____

ABS _____

DIMENSIONS:

Minimum wheelbase 110 inches _____

Minimum passenger volume 100 inches _____

Minimum length 190 inches _____

SUSPENSION:

Standard type front and rear _____

WHEELS AND TIRES:

16 inch all-season radials _____

Jack, spare, and tire tools _____

16 inch painted aluminum wheels minimum _____

Tire pressure monitoring system _____

ELECTRICAL SYSTEM:

Twelve (12) volt _____

State vehicle battery CCA _____

COLOR:

White Suede or approved equal exterior _____

Tan, gray, or combination interior or approved equal _____

OTHER:

One (1) copy of operator's manual per vehicle _____

Two (2) keys per vehicle _____

One (1) Certificate of Origin (per vehicle) _____

Window sticker to be provided _____

INSPECTION AND ACCEPTANCE:

An inspection of the unit(s) will be held jointly by Fleet Maintenance and the ultimate consignee.

Upon delivery and prior to acceptance, the successful bidder must provide any necessary technical training in the operation and maintenance of the unit(s).

SPECIFICATIONS

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

EXTENDED CAB 2x4 COMPACT PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for an extended cab compact pickup truck. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum of 2.7L 4 cylinder DOHC 16 valve gasoline engine _____
Replaceable type air filter _____
Replaceable type oil filter _____
Replaceable type fuel filter _____
Fuel Injection _____
Minimum 155 hp _____
Minimum 180 lb-ft. torque _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Four Speed Electronically Controlled Automatic _____
Floor mounted gear selection shifter _____

CAB:

Extended cab _____
Factory installed air conditioning (R134A type only), fresh air heater and defroster fan with thermostatic control _____
Intermittent windshield wipers with washers _____
Interior rear view mirror _____
Dual sun visors _____
Door mounted rear view mirrors, below eye level, swing lock type _____
Turn signals with hazard flashers _____
Front bucket seats with heavy duty cloth cover _____
Heavy duty cloth or vinyl (preferred) floor covering _____
Arm rest on both doors _____
Factory AM/FM radio with clock _____
Daytime running lights _____
Two 12-volt power points including the cigarette lighter _____
Rear door accessing extended cab area to open from the front side on a minimum of one of the sides of the truck _____
Back-up lights are LED _____

STEERING:

Variable-assist rack and pinion steering _____

SPECIFICATIONS

BRAKES:

Four wheel Anti-lock _____
Front power-assisted ventilated disc brakes _____
Rear 10" drum brakes with tandem booster _____
Manual parking brake _____

REAR AXLE:

3.58 Rear Axle _____

CHASSIS:

Minimum wheel base 125 inches _____
Standard front bumper _____
Standard rear bumper _____
Composite bed with small interior side compartment to hold small goods _____

SUSPENSION:

Front coil-spring double-wishbone suspension _____
Rear, leaf spring, solid axle _____

WHEELS AND TIRES:

All-season radial tires (please state tire size) _____
Full size spare wheel is required with jack and tire tools _____
15" Steel Wheels _____
Tire pressure monitoring system _____

ELECTRICAL:

12 Volt electrical system _____
Heavy duty maintenance free battery minimum _____

COLOR:

Oxford white (Super White if Toyota) _____
Or Approved Equal _____

ACCESSORIES:

(1) Four corner LED Strobe Lights _____
(1) Aluminum single lid tool box _____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery:

One (1) copy of parts and service manuals _____
One (1) copy of operator's manual per vehicle _____
Two (2) keys per vehicle _____
One (1) Certificate of Origin (per vehicle) _____

SPECIFICATIONS

Window sticker to be provided_____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee. Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

EXTENDED CAB 4x4 COMPACT PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for an extended cab compact pickup truck with 4x4. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum of 2.7L 4 cylinder DOHC 16 valve gasoline engine _____
Replaceable type air filter _____
Replaceable type oil filter _____
Fuel Injection _____
Minimum 155 hp _____
Minimum 180 lb-ft. torque _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Automatic Transmission _____

CAB:

Extended cab _____
Factory installed air conditioning (R134A type only), fresh air heater and defroster fan with thermostatic control _____
Intermittent windshield wipers with washers _____
Interior rear view mirror _____
Dual sun visors _____
Door mounted rear view mirrors, below eye level, swing lock type _____
Turn signals with hazard flashers _____
Front bucket seats with heavy duty cloth cover _____
Minimum of vinyl floor covering (heavy duty cloth will be acceptable) _____
Manual windows and locks will be acceptable _____
Arm rest on both doors _____
Factory AM/FM radio with clock _____
Daytime running lights _____
Two 12-volt power points including the cigarette lighter _____
Rear door accessing extended cab area to open from the front side on a minimum of one of the sides of the truck _____

STEERING:

Rack and pinion steering _____

BRAKES:

Four wheel Anti-lock _____

SPECIFICATIONS

Manual parking brake_____

REAR AXLE:

3.727 Limited slip_____

CHASSIS:

Minimum 6' bed_____

Standard front bumper_____

Standard rear bumper_____

Composite bed or metal bed with roll in/spray in bed liner_____

SUSPENSION:

Front coil-spring double-wishbone suspension_____

Rear, leaf spring, solid axle_____

WHEELS AND TIRES:

All-season radial tires (please state tire size)_____

Full size spare wheel is required, jack and tire tools as well_____

Steel Wheels (please state size)_____

ELECTRICAL:

12 Volt electrical system_____

Heavy duty maintenance free battery minimum_____

COLOR:

Oxford white (Super White if Toyota)_____

Or Approved Equal_____

ACCESSORIES:

(1) Four corner LED Strobe Lights_____

(1) Aluminum single lid tool box_____

(1 set) Chrome or black tube steps_____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery:

One (1) copy of parts and service manuals_____

One (1) copy of operator's manual per vehicle_____

Two (2) keys per vehicle_____

One (1) Certificate of Origin (per vehicle)_____

Window sticker to be provided_____

SPECIFICATIONS

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee. Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

6,500 GVWR 4X4 REGULAR CAB PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for a ½ Ton Pickup Truck with a minimum 6,500 GVWR, 4x4 and regular cab. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 5.0 V8 _____
Fuel injection _____
Replaceable type air filter _____
Replaceable type oil filter _____
Minimum 360 hp _____
Minimum 380 lb-ft Torque _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Automatic transmission with tow/haul mode _____

CAB:

Standard cab _____
Factory installed air conditioning fresh air heater with defroster fan and thermostatic control _____
Intermittent windshield wipers with washers _____
Interior dome light _____
Cigarette lighter or 12v plug in _____
Dual sun visors _____
Dual rear view mirrors, below eye level swing lock type _____
Turn signals with hazard flashers _____
Split bench seat (40/20/40 with arm rest) with heavy duty vinyl cover _____
Heavy duty rubber floor matting _____
Factory AM/FM radio with clock _____
Daytime running lights _____
Power equipment group _____

STEERING:

Hydraulic power steering _____

BRAKES:

Heavy duty power brakes _____
Dual hydraulic, self-adjusting _____
Front, heavy duty disc brakes _____
Rear, disc brakes _____
ABS _____

SPECIFICATIONS

Manual parking brake_____

FRONT SUSPENSION:

Standard heavy duty suspension with coil-over shock_____

REAR SUSPENSION:

Leaf Spring with Solid Axle and dual heavy duty shocks_____

FRONT AXLE:

4X4_____

REAR AXLE:

Limited slip rear axle_____

CHASSIS:

Minimum capacity 6,500 lbs. GVWR_____

Standard front bumper_____

Standard rear bumper_____

Class III or IV towing package (including hitch platform, seven flat blade wiring, and transmission fluid cooler, trailer brake controller)_____

BODY:

Standard 8' bed_____

WHEELS AND TIRES:

All-season front & rear tires (please state size)_____

Steel Wheels_____

Full sized spare wheel and tire with jack and tools_____

ELECTRICAL SYSTEM:

12 Volt system_____

Heavy duty maintenance free battery, State CCA_____

COLOR:

Oxford White (Ford)_____

Or Approved Equal_____

ACCESSORIES:

(1) Spray in Bed Liner_____

(1) Four corner LED Strobe Lights_____

(1) Aluminum single lid tool box_____

(1) Set of black tube step bars_____

SPECIFICATIONS

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

One (1) copy of operator's manual per vehicle_____

Two (2) keys per vehicle_____

One (1) Certificate of Origin (per vehicle)_____

Window sticker to be provided_____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

10,000 GVWR 2X4 REGULAR CAB PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for a ¾ Ton Pickup Truck with a minimum 10,000 lb. GVWR, 2x4 and regular cab. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 6.2 L V-8 engine_____

Fuel injection_____

Replaceable type air filter_____

Replaceable type oil filter_____

Replaceable type fuel filter_____

Minimum 385 hp_____

Minimum 405 lb-ft Torque_____

Estimated EPA city mpg/highway mpg_____

TRANSMISSION:

Automatic transmission with tow/haul mode_____

CAB:

Standard cab_____

Factory installed air conditioning fresh air heater with defroster fan and thermostatic control_____

Intermittent windshield wipers with washers_____

Interior dome light_____

Cigarette lighter_____

Dual sun visors_____

Dual rear view mirrors, below eye level swing lock type_____

Turn signals with hazard flashers_____

Split bench seat (40/20/40 with arm rest) with heavy duty vinyl cover_____

Heavy duty rubber floor matting_____

Factory AM/FM radio with clock_____

Daytime running lights_____

Power equipment group_____

STEERING:

Hydraulic power steering_____

BRAKES:

Heavy duty power brakes_____

Front, heavy duty disc brakes_____

Rear, disc brakes_____

ABS_____

SPECIFICATIONS

Manual parking brake_____

FRONT SUSPENSION:

Independent coil over shock suspension_____

REAR SUSPENSION:

Leaf Spring with Solid Axle and dual heavy duty shocks_____

FRONT AXLE:

2X4_____

REAR AXLE:

3.73 Limited slip rear differential_____

CHASSIS:

Minimum capacity 10,000 lbs. GVWR_____

Standard front bumper_____

Standard rear bumper_____

Class III or IV towing package (including hitch platform, seven flat blade wiring, and transmission fluid cooler, trailer brake controller)_____

BODY:

Standard 8' bed_____

WHEELS AND TIRES:

All-season front & rear tires (please state size)_____

Steel Wheels_____

Full sized spare tire and wheel with jack and tools_____

ELECTRICAL SYSTEM:

12 Volt system_____

Heavy duty maintenance free battery, 650 CCA_____

COLOR:

Oxford White (Ford)_____

Or Approved Equal_____

ACCESSORIES:

(1) Spray in Bed Liner_____

(1) Four corner LED Strobe Lights_____

(1) Aluminum single lid tool box_____

(1) Set of black tube steps if a factory step is not standard_____

SPECIFICATIONS

ACCESSORY PRICING (including installation if applicable):

Deduct aluminum single lid tool box \$ _____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

One (1) copy of parts and service manuals (to be given electronically) _____

One (1) copy of operators manual per vehicle _____

One (1) warranty card or booklet validated by the dealer _____

Two (2) keys per vehicle _____

One (1) Certificate of Origin (per vehicle) _____

Window sticker to be provided _____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery _____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

10,000 GVWR 4X4 REGULAR CAB PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for a ¾ Ton Pickup Truck with a minimum 10,000 lb. GVWR, 4x4 and regular cab. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 6.2 L V-8 engine_____

Fuel injection_____

Replaceable type air filter_____

Replaceable type oil filter_____

Replaceable type fuel filter_____

Minimum 385 hp_____

Minimum 405 lb-ft Torque_____

Estimated EPA city mpg/highway mpg_____

TRANSMISSION:

Automatic transmission with tow/haul mode_____

CAB:

Standard cab_____

Factory installed air conditioning fresh air heater with defroster fan and thermostatic control_____

Intermittent windshield wipers with washers_____

Interior dome light_____

Cigarette lighter_____

Dual sun visors_____

Dual rear view mirrors, below eye level swing lock type_____

Turn signals with hazard flashers_____

Split bench seat (40/20/40 with arm rest) with heavy duty vinyl cover_____

Heavy duty rubber floor matting_____

Factory AM/FM radio with clock_____

Daytime running lights_____

Power equipment group_____

STEERING:

Hydraulic power steering_____

BRAKES:

Heavy duty power brakes_____

Front, heavy duty disc brakes_____

Rear, disc brakes_____

ABS_____

SPECIFICATIONS

Manual parking brake_____

FRONT SUSPENSION:

Independent coil over shock suspension_____

REAR SUSPENSION:

Leaf Spring with Solid Axle and dual heavy duty shocks_____

FRONT AXLE:

4X4_____

REAR AXLE:

3.73 Limited slip rear differential_____

CHASSIS:

Minimum capacity 10,000 lbs. GVWR_____

Standard front bumper_____

Standard rear bumper_____

Class III or IV towing package (including hitch platform, seven flat blade wiring, and transmission fluid cooler, trailer brake controller)_____

BODY:

Standard 8' bed_____

WHEELS AND TIRES:

All-season front & rear tires (please state size)_____

Steel Wheels_____

Full sized spare tire and wheel with jack and tools_____

ELECTRICAL SYSTEM:

12 Volt system_____

Heavy duty maintenance free battery, 650 CCA_____

COLOR:

Oxford White (Ford)_____

Or Approved Equal_____

ACCESSORIES:

(1) Spray in Bed Liner_____

(1) Four corner LED Strobe Lights_____

(1) Aluminum single lid tool box_____

(1) Set of black tube steps if a factory step is not standard_____

SPECIFICATIONS

ACCESSORY PRICING (including installation if applicable):

Deduct aluminum single lid tool box \$ _____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

One (1) copy of parts and service manuals (to be given electronically) _____

One (1) copy of operator's manual per vehicle _____

One (1) warranty card or booklet validated by the dealer _____

Two (2) keys per vehicle _____

One (1) Certificate of Origin (per vehicle) _____

Window sticker to be provided _____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery _____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

10,000 GVWR 2X4 CREW CAB PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for a ¾ Ton Pickup Truck with a minimum 10,000 lb. GVWR, 2x4 and crew cab. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 6.2 L V-8 engine _____
Fuel injection _____
Replaceable type air filter _____
Replaceable type oil filter _____
Minimum 385 hp _____
Minimum 405 lb-ft Torque _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Automatic transmission with tow/haul mode _____

CAB:

Crew cab _____
Factory installed air conditioning fresh air heater with defroster fan and thermostatic control _____
Intermittent windshield wipers with washers _____
Interior dome light _____
Cigarette lighter or 12v plug in _____
Dual sun visors _____
Dual rear view mirrors, below eye level swing lock type _____
Turn signals with hazard flashers _____
Front split bench seat (40/20/40 with arm rest) with heavy duty vinyl cover _____
Rear bench or split bench is acceptable with heavy duty vinyl cover _____
Heavy duty rubber floor matting _____
Factory AM/FM radio with clock _____
Daytime running lights _____
Power equipment group _____

STEERING:

Hydraulic power steering _____

BRAKES:

Heavy duty power brakes _____
Front, heavy duty disc brakes _____
Rear, disc brakes _____
ABS _____

SPECIFICATIONS

Manual parking brake_____

FRONT SUSPENSION:

Independent coil over shock suspension_____

REAR SUSPENSION:

Leaf Spring with Solid Axle and dual heavy duty shocks_____

FRONT AXLE:

2X4_____

REAR AXLE:

3.73 Limited slip rear differential_____

CHASSIS:

Minimum capacity 10,000 lbs. GVWR_____

Standard front bumper_____

Standard rear bumper_____

Class III or IV towing package (including hitch platform, seven flat blade wiring, and transmission fluid cooler, trailer brake controller)_____

BODY:

Standard 6.75' bed_____

WHEELS AND TIRES:

All-season front & rear tires (please state size)_____

Steel Wheels_____

Full sized spare and tire with jack and tools_____

ELECTRICAL SYSTEM:

12 Volt system_____

Heavy duty maintenance free battery, State CCA_____

COLOR:

Oxford White (Ford)_____

Or Approved Equal_____

ACCESSORIES:

(1) Spray in Bed Liner_____

(1) Four corner LED Strobe Lights_____

(1) Aluminum single lid tool box_____

(1) One set of black tube steps on front and rear doors (unless standard from factory)_____

SPECIFICATIONS

ACCESSORY PRICING (including installation if applicable):

Deduct aluminum single lid tool box \$ _____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

One (1) copy of operator's manual per vehicle _____

Two (2) keys per vehicle _____

One (1) Certificate of Origin (per vehicle) _____

Window sticker to be provided _____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery _____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

10,000 GVWR 4X4 EXTENDED CAB PICKUP TRUCK

GENERAL:

The following specifications are intended to describe the minimum requirements for a ¾ Ton Pickup Truck with a minimum 10,000 lb. GVWR, 4x4 and extended cab. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 6.2 L V-8 engine _____
Fuel injection _____
Replaceable type air filter _____
Replaceable type oil filter _____
Minimum 385 hp _____
Minimum 405 lb-ft Torque _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Automatic transmission with tow/haul mode _____

CAB:

Extended cab _____
Factory installed air conditioning fresh air heater with defroster fan and thermostatic control _____
Intermittent windshield wipers with washers _____
Interior dome light _____
Cigarette lighter or 12v plug in _____
Dual sun visors _____
Dual rear view mirrors, below eye level swing lock type _____
Turn signals with hazard flashers _____
Front split bench seat (40/20/40 with arm rest) with heavy duty vinyl cover _____
Rear seat in Ext cab area with heavy duty vinyl cover _____
Heavy duty rubber floor matting _____
Factory AM/FM radio with clock _____
Daytime running lights _____
Power equipment group _____
A minimum of one of the rear doors should open to the extended cab area _____

STEERING:

Hydraulic power steering _____

BRAKES:

Heavy duty power brakes _____
Front, heavy duty disc brakes _____
Rear, disc brakes _____

SPECIFICATIONS

ABS _____
Manual parking brake _____

FRONT SUSPENSION:

Independent coil over shock suspension _____

REAR SUSPENSION:

Leaf Spring with Solid Axle and dual heavy duty shocks _____

FRONT AXLE:

4X4 _____

REAR AXLE:

3.73 Limited slip rear differential _____

CHASSIS:

Minimum capacity 10,000 lbs. GVWR _____

Standard front bumper _____

Standard rear bumper _____

Class III or IV towing package (including hitch platform, seven flat blade wiring, and transmission fluid cooler, trailer brake controller) _____

Molded black steps for entry of cab from both the driver & passenger sides for front and rear passengers _____

BODY:

Standard 8' bed _____

WHEELS AND TIRES:

All-season front & rear tires (please state size) _____

Steel Wheels _____

Full sized spare tire and wheel with jack and tools _____

ELECTRICAL SYSTEM:

12 Volt system _____

Heavy duty maintenance free battery, state CCA _____

COLOR:

Oxford White (Ford) _____

Or Approved Equal _____

ACCESSORIES:

(1) Spray in Bed Liner _____

(1) Four corner LED Strobe Lights _____

SPECIFICATIONS

(1) Aluminum single lid tool box_____

ACCESSORY PRICING (including installation if applicable):

Deduct aluminum single lid tool box \$_____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

One (1) copy of operator's manual per vehicle_____

Two (2) keys per vehicle_____

One (1) Certificate of Origin (per vehicle)_____

Window sticker to be provided_____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

19,500 LB. GVWR 4x4 CREW CAB & CHASSIS GAS

GENERAL:

The following specifications are intended to describe the minimum requirements for a 4x4 Crew Cab & Chassis with a minimum 19,500 lb. GVWR. This unit must be new and the latest current model in production. It must be equipped with all the standard equipment normally furnished with such models including the following:

ENGINE:

Minimum 6.8L gas V-10 engine _____
Replaceable air filter _____
Replaceable oil filter _____
360 hp engine minimum _____
450 lb-ft. Torque minimum _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Automatic with Tow/haul mode _____

CAB:

Crew cab _____
Power windows and locks _____
Factory installed air conditioning fresh air heater with defroster fan and thermostatic control _____
Intermittent windshield wipers with washers _____
Interior dome light _____
Dual sun visors _____
Door mounted rear view mirrors, below eye level swing lock type _____
Steering wheel mounted horn control _____
Turn signals with hazard flashers _____
Front split bench seat (40/20/40) with heavy duty vinyl cover _____
Rear vinyl bench seat is a minimum _____
Heavy duty rubber floor matting _____
Factory AM/FM radio _____
Daytime running lights _____
Four (4) up-fitter switches on the dash _____
Roof clearance lamps _____
12-volt power point _____

STEERING:

Hydraulic power steering _____

BRAKES:

Heavy duty power brakes _____
Dual hydraulic, self-adjusting _____

SPECIFICATIONS

4 Wheel disk brakes _____
ABS _____
Manual parking brake _____

FRONT AXLE:

Heavy duty 4x4 front axle _____

REAR AXLE:

Dual rear wheel setup _____
4.30 limited slip rear end _____

CHASSIS:

Dual rear wheel chassis _____
Minimum capacity 19,500 lbs. GVWR _____
Standard front bumper _____
60" CA _____

FRONT SUSPENSION:

Heavy duty shock absorbers and other suspension parts _____

REAR SUSPENSION:

Heavy duty shock absorbers and leaf springs _____

WHEELS AND TIRES:

All-season tires (please state tire size) _____
Full size mounted spare tire on rim with jack and tools _____
Steel wheels _____

ELECTRICAL SYSTEM:

12 Volt system _____
Heavy duty maintenance free battery (state CCA) _____

COLOR:

Oxford White (Ford) _____
Or Approved Equal _____

ACCESSORIES:

(1) Integrated trailer brake controller and wiring to the rear of the vehicle _____
(1) Black tube step bar or step ups for both front and rear doors _____

OTHER:

The successful bidder will be responsible for furnishing the following items upon delivery. Final payment will not be approved until all items listed have been received.

SPECIFICATIONS

One (1) copy of operator's manual per vehicle_____

Two (2) keys per vehicle_____

One (1) Certificate of Origin (per vehicle)_____

Window sticker to be provided_____

INSPECTION & ACCEPTANCE:

An inspection of the unit(s) will be held by Fleet Maintenance personnel and the ultimate consignee.

Upon delivery and prior to acceptance the successful bidder must provide any necessary technical training in operation and maintenance.

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not the date of delivery_____

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

POLICE AUTOMOBILES-REAR WHEEL DRIVE, PATROL, V8

GENERAL:

The following specifications are intended to describe the minimum requirements for a new, full-size, rear wheel drive, 5-passenger, 4-door sedan that is certified by the vehicle manufacturer for Law Enforcement Service. Units furnished to this specification shall be new and of the latest design and shall include all items normally furnished as standard equipment. This shall include all safety equipment required by State and/or Federal laws. The City of Durham intends to purchase equipment with quality, design, reliability, and fleet standardization as its goal.

Note: Bids must meet or exceed the minimum requirements in the specifications or the bid may be deemed non-responsive and subject to rejection.

Dodge Charger Police Vehicle:

ENGINE:

Minimum, 5.7 L Hemi eight (8) cylinder with VVT _____
Fuel Injected _____
Replaceable type air filter _____
Replaceable type oil filter _____
365 hp minimum _____
385 lb ft torque minimum _____
Estimated EPA city mpg/highway mpg _____
Dual exhaust _____

TRANSMISSION:

Five (5) Speed Automatic Transmission _____
Rear wheel drive _____
Steering Column Shifter _____
Transmission oil cooler _____

COOLING SYSTEM:

Maximum capacity radiator with heavy duty hoses and clamps _____

CAB:

Patrol V8 Chargers to be keyed alike _____
Metal center console base plate for equipment mounting included (25" long, 5 1/2" wide, 3/4" thick) _____
Driver side A pillar spot lamp _____
Fuel Tank, 19 gallons, minimum _____
Trunk compartment capacity, 16.5 cubic feet minimum _____
Fresh air heater and defroster _____
Intermittent windshield wipers with washers _____
Front and rear turn signals, self cancelling _____

SPECIFICATIONS

Automatically operated backup lights_____

Dual sun visors_____

Heavy-duty rubber or vinyl flooring covering (front & rear)_____

Arm rests on both front doors_____

Factory installed AM/FM radio minimum_____

Rear window defroster_____

Non-glare interior rear view mirror_____

Safety belts with retractors, front and rear_____

Factory installed air conditioning (R134A Type Only)_____

Tilt steering column_____

Mirrors (power heated side view)_____

Power windows and door locks_____

Rear doors only open from outside source_____

Rear windows inoperable_____

Heavy duty Vinyl floor mats_____

Five (5) passenger seating_____

Eight (8) way cloth bucket power driver's seat_____

Power lumbar support on driver's seat_____

Passenger cloth bucket seat_____

Rear bench seating, cloth or vinyl (whichever is cheaper)_____

Wig wag alternating headlights and taillights_____

If daytime running lights (DRL) are furnished, a means of temporarily disabling them (switch) convenient to the seated driver must be furnished, or otherwise DRLs must be permanently disabled (removal of a dedicated fuse or reprogramming a computer control module) or delete option_____

Red & white police map light (5" diameter with 15 candlepower minimum) mounted between sun visors. Must be controlled by switch on or beside light, not by the door on/off switch_____

Power truck release within reach of driver on the instrument panel_____

Speedometer to be a certified police speedometer with measurements which will accurately track the top speed of the vehicle_____

STEERING:

Power rack and pinion steering rated for high-speed pursuit_____

Power steering oil cooler_____

REAR AXLE:

Limited-slip axle 3.06 ratio_____

BRAKES:

Power front and rear disc brakes_____

ABS_____

Brakes suitable for police patrol and high-speed pursuit driving_____

SPECIFICATIONS

DIMENSIONS:

Wheelbase 120.2 inches _____

Length 199.9 inches _____

Width 75 inches _____

Minimum total interior volume 104 cu. Ft. _____

SUSPENSION:

Heavy duty police tuned _____

ELECTRICAL SYSTEM:

Twelve (12) volt _____

800-Amp Maintenance Free battery _____

Crown North America package "AYE" (Base Police Package) plus the item "TBH" (Spare Tire Relocation Kit). Contact is 877-922-2242 _____

WHEELS & TIRES:

18" steel wheels and tires that are V rated performance tires _____

18" wheel covers _____

P225/60R18 tires _____

Full size spare tire & rim with tools and jack _____

Solid Lug Nuts _____

COLOR:

To be specified on Purchase Order _____

WARRANTY:

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not when it is delivered to the city _____

OTHER:

One (1) copy of operator's manual per vehicle _____

Three (3) keys per vehicle (all vehicles keyed alike) _____

One (1) Certificate of Origin (per vehicle) _____

Window sticker to be provided _____

One Wi-Tech Wireless Program, hardware, and installation for shop use (pricing to be divided among the total number of Charger Patrol, V8 units purchased in this spec (17 units) _____

INSPECTION AND ACCEPTANCE:

An inspection of the unit(s) will be held jointly by Fleet Maintenance and the ultimate consignee.

Upon delivery and prior to acceptance, the successful bidder must provide any necessary technical training in the operation and maintenance of the unit(s).

SPECIFICATIONS

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

POLICE AUTOMOBILES-REAR WHEEL DRIVE, UNMARKED, V6

GENERAL:

The following specifications are intended to describe the minimum requirements for a new, full-size, rear wheel drive, 5-passenger, 4-door sedan that is certified by the vehicle manufacturer for Law Enforcement Service. Units furnished to this specification shall be new and of the latest design and shall include all items normally furnished as standard equipment. This shall include all safety equipment required by State and/or Federal laws. The City of Durham intends to purchase equipment with quality, design, reliability, and fleet standardization as its goal.

Note: Bids must meet or exceed the minimum requirements in the specifications or the bid may be deemed non-responsive and subject to rejection.

Dodge Charger Unmarked Police Vehicle:

ENGINE:

Minimum, 3.6L V6 _____
Fuel Injected _____
Replaceable type air filter _____
Replaceable type oil filter _____
290 hp minimum _____
260 lb ft torque minimum _____
Estimated EPA city mpg/highway mpg _____

TRANSMISSION:

Five (5) Speed Automatic Transmission _____
Rear wheel drive _____
Steering Column Shifter _____
Transmission oil cooler _____

COOLING SYSTEM:

Maximum capacity radiator with heavy duty hoses and clamps _____

CAB:

Unmarked, V6 Chargers to be keyed individually _____
Metal center console base plate for equipment mounting included (25" long, 5 1/2" wide, 3/4" thick) _____
DELETE Spot light _____
Fuel Tank, 19 gallons, minimum _____
Trunk compartment capacity, 16.5 cubic feet minimum _____
Fresh air heater and defroster _____
Intermittent windshield wipers with washers _____
Front and rear turn signals, self cancelling _____
Automatically operated backup lights _____

SPECIFICATIONS

Dual sun visors_____

Heavy-duty carpeted floor covering (front & rear)_____

Arm rests on both front doors_____

Factory installed AM/FM radio minimum_____

Rear window defroster_____

Non-glare interior rear view mirror_____

Safety belts with retractors, front and rear_____

Factory installed air conditioning (R134A Type Only)_____

Tilt steering column_____

Mirrors (power heated side view)_____

Power windows and door locks_____

Rear doors fully operable_____

Rear windows fully operable_____

Heavy duty Carpeted floor mats_____

Five (5) passenger seating_____

Eight (8) way cloth bucket power driver's seat_____

Power lumbar support on driver's seat_____

Passenger cloth bucket seat_____

Rear cloth bench seat_____

Wig wag alternating headlights and taillights_____

If daytime running lights (DRL) are furnished, a means of temporarily disabling them (switch) convenient to the seated driver must be furnished, or otherwise DRLs must be permanently disabled (removal of a dedicated fuse or reprogramming a computer control module) or delete option_____

Red & white police map light (5" diameter with 15 candlepower minimum) mounted between sun visors. Must be controlled by switch on or beside light, not by the door on/off switch_____

Power truck release within reach of driver on the instrument panel_____

Speedometer to be a certified police speedometer with measurements which will accurately track the top speed of the vehicle_____

STEERING:

Power rack and pinion steering rated for high-speed pursuit_____

Power steering oil cooler_____

REAR AXLE:

Limited-slip axle, 2.65 ratio_____

BRAKES:

Power front and rear disc brakes_____

ABS_____

Brakes suitable for police patrol and high-speed pursuit driving_____

SPECIFICATIONS

DIMENSIONS:

Wheelbase 120.2 inches_____

Length 199.9 inches_____

Width 75 inches_____

Minimum total interior volume 104 cu. Ft. _____

SUSPENSION:

Heavy duty police tuned_____

ELECTRICAL SYSTEM:

Twelve (12) volt_____

800-Amp Maintenance Free battery_____

Crown North America package “AYE” (Base Police Package) plus the item “TBH” (Spare Tire Relocation Kit). Contact is 877-922-2242_____

WHEELS & TIRES:

18” steel wheels and tires that are V rated performance tires_____

18” wheel covers_____

P225/60R18 tires_____

Full size spare tire & rim with jack and tools_____

Solid Lug Nuts_____

COLOR:

To be specified on Purchase Order_____

WARRANTY:

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham’s records) not when it is delivered to the city_____

OTHER:

One (1) copy of operator’s manual per vehicle_____

Three (3) keys per vehicle (all vehicles keyed alike)_____

One (1) Certificate of Origin (per vehicle)_____

Window sticker to be provided_____

INSPECTION AND ACCEPTANCE:

An inspection of the unit(s) will be held jointly by Fleet Maintenance and the ultimate consignee.

Upon delivery and prior to acceptance, the successful bidder must provide any necessary technical training in the operation and maintenance of the unit(s).

SPECIFICATIONS

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

DELIVERY:

Unless otherwise noted on the PO, unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within 180 days after production of the purchase order by the City of Durham.

SPECIFICATIONS

POLICE AUTOMOBILES-PATROL/PURSUIT SUV 4x4

GENERAL:

The following specifications are intended to describe the minimum requirements for a new, full-size, rear wheel drive with 4x4 capability, 5-passenger, 4-door SUV that is certified by the vehicle manufacturer for Law Enforcement Service. Units furnished to this specification shall be new and of the latest design and shall include all items normally furnished as standard equipment. This shall include all safety equipment required by State and/or Federal laws. The City of Durham intends to purchase equipment with quality, design, reliability, and fleet standardization as its goal.

Note: Bids must meet or exceed the minimum requirements in the specifications or the bid may be deemed non-responsive and subject to rejection.

Police Rated Chevy Tahoe 4x4, 4-door with rear cargo door:

ENGINE:

Minimum, 5.3 L V8-cylinder Flex-Fuel with VVT _____
Fuel Injected _____
Replaceable type air filter _____
Replaceable type oil filter _____
Replaceable type fuel filter _____
Estimated EPA city mpg/highway mpg _____
Maximum capacity radiator _____

TRANSMISSION:

Six (6) speed automatic _____
Rear wheel drive _____
Column selector _____
4x4 Capability through dash mounted button or switch _____
Transmission oil cooler _____

COOLING SYSTEM:

Maximum capacity radiator _____
Temperature controlled fan and coolant recovery system _____
Silicone hoses with aircraft clamps _____

CAB:

Fuel Tank, please state capacity _____
Standard Tahoe luggage compartment area behind rear seat _____
Fresh air heater and defroster _____
Intermittent windshield wipers with washers _____
Front and rear turn signals, self cancelling _____
Automatically operated backup lights _____

SPECIFICATIONS

Dual sun visors_____

Heavy-duty cloth flooring covering (front & rear)_____

Arm rests on both front doors_____

Factory installed AM/FM radio_____

Rear window defroster_____

Non-glare interior rear view mirror_____

Body side molding_____

Safety belts with retractors, front and rear_____

Factory installed air conditioning (R134A Type Only)_____

Tilt steering column_____

Mirrors (power heated side view)_____

Power windows and door locks_____

Rear doors only open from outside source_____

Means to able and disable rear passengers from rolling down windows_____

Three (3) power points, 12 volt_____

Five (5) passenger seating_____

Power adjustable pedals_____

Minimum six (6) way cloth bucket power driver's seat_____

Power lumbar support on driver's seat_____

Cloth bucket passenger seat_____

Center console delete_____

Seats cannot be modified from factory specs_____

Rear seating is vinyl bench_____

Wig wag alternating headlights and taillights_____

If daytime running lights (DRL) are furnished, a means of temporarily disabling them (switch) convenient to the seated driver must be furnished, or otherwise DRLs must be permanently disabled (removal of a dedicated fuse or reprogramming a computer control module) or delete option_____

Red & white police map light (5" diameter with 15 candlepower minimum) mounted between sun visors. Must be controlled by switch on or beside light, not by the door on/off switch_____

Speedometer to be a certified police speedometer with measurements up to 120 mph_____

Driver's side A-pillar mounted 6" clear sealed beam halogen light to be controlled from inside the cab within reach of driver's left hand_____

STEERING:

Power steering rated for high-speed pursuit_____

Power steering oil cooler_____

REAR AXLE:

Limited-slip rear axle_____

BRAKES:

Power front and rear disc brakes_____

SPECIFICATIONS

ABS _____
Brakes suitable for police patrol and high-speed pursuit driving _____

DIMENSIONS:

Wheelbase 116 inches _____
Total Length 202 inches _____
Minimum total interior passenger volume 122 cu. Ft. _____

SUSPENSION:

Heavy duty _____

ELECTRICAL SYSTEM:

Twelve (12) volt _____
Battery, minimum 730 CCA with rundown protection and retained accessory power _____

WHEELS & TIRES:

17" steel wheels _____
Goodyear P265/75R17 tires _____
Full size spare tire & rim with jack and tools _____
Four (4) center cap hubcaps _____

COLOR:

To be specified on Purchase Order _____

WARRANTY:

The factory warranty shall apply to the vehicle starting with the date the City of Durham places the vehicle into service (by the City of Durham's records) not when it is delivered to the city _____

OTHER:

One (1) copy of parts and service manuals (parts manual on CD-ROM) _____
One (1) copy of operators manual per vehicle _____
Three (3) keys per vehicle (Tahoes keyed alike) _____
One (1) Certificate of Origin (per vehicle) _____
Window sticker to be provided _____

INSPECTION AND ACCEPTANCE:

An inspection of the unit(s) will be held jointly by Fleet Maintenance and the ultimate consignee.

Upon delivery and prior to acceptance, the successful bidder must provide any necessary technical training in the operation and maintenance of the unit(s).

This unit must meet & pass NC OBD2 standards and NC State Inspection Compliance should be completed before delivery to the City of Durham.

SPECIFICATIONS

DELIVERY:

Unit(s) shall be delivered to the City of Durham Fleet Maintenance Facility, 1900 Camden Avenue, Durham, North Carolina 27704, within ninety (90) days after receipt of purchase order

SPECIAL CONDITIONS

1. It is the intention of the City to award by item, i.e., a bidder may receive item 1, 2, or 3, etc. or any combination thereof for this one time purchase.
2. Bidders are to furnish all the information requested in the blank spaces provided on the Bid Proposal Form and Specifications. Each bidder must submit descriptive literature covering all vehicles offered with their bid proposal. Bids which do not comply with these requirements will be subject to rejection at the discretion of the Purchasing Division.
3. All prices shall be quoted F.O.B. Durham, North Carolina.
4. All vehicles must be delivered complete and ready for operation. It shall be the bidder's responsibility to insure that the vehicles meet all bid specifications and requirements before delivery to the City.
5. All gasoline powered vehicles must be emission tested by the dealer prior to delivery.
6. Delivery will not be considered complete unless all bid specifications are met; this includes furnishing all required technical manuals. The City shall withhold payment of up to \$200 per vehicle, on all vehicles not meeting these requirements at the time of delivery.
7. **The City would prefer parts manuals on CD-ROM in lieu of the printed bound type.**
8. All vehicles shall be delivered to the City of Durham Fleet Management Facility, 1900 Camden Avenue, Durham, North Carolina 27704.
9. Title applications for each vehicle shall be completely filled in and delivered along with the remaining paperwork for each vehicle. All paperwork is to be given to John Ferguson, Fleet Manager, or his designee if he is unavailable.
10. All vehicles with ten (10) or more wheels must be DOT inspected prior to delivery.
11. The City reserves the right to adjust quantities as needed.
12. Questions concerning this bid shall be directed to Chris Bernat, Purchasing Agent, 919-560-4132, ext. 18224.
13. Questions concerning the SDBE Data Forms shall be directed to the Equal Opportunity/Equity Assurance Department at 919-560-4180.
14. The City expects the successful bidders to either provide quarterly in-house training on the maintenance and repair of the vehicles being purchased or to provide City of Durham employees with slots in available manufacturer's training schools.

EEO PROVISIONS

During the performance of this Contract the Contractor agrees as follows:

- a. The Contractor shall not discriminate against any employee or applicant for employment because of race, color, religion, sex, national origin, political affiliation or belief, age, or handicap. The Contractor shall take affirmative action to insure that applicants are employed and that employees are treated equally during employment, without regard to race, color, religion, sex, national origin, political affiliation or belief, age, or handicap. Such action shall include but not be limited to the following: employment, upgrading, demotion, transfer, recruitment or advertising, layoff or termination, rates of pay or other forms of compensation, and selection for training, including apprenticeship. The Contractor shall post in conspicuous places, available to employees and applicants for employment, notices setting forth these provisions.
- b. The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractor, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, national origin, political affiliation or belief, age, or handicap.
- c. The Contractor shall send a copy of the EEO provisions to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding.
- d. In the event of the Contractor's noncompliance with these EEO provisions, the City may cancel, terminate, or suspend this contract, in whole or in part, and the City may declare the Contractor ineligible for further City contracts.
- e. Unless exempted by the City Council of the City of Durham, the Contractor shall include these EEO provisions in every purchase order for goods to be used in performing this contract and in every subcontract related to this contract so that these EEO provisions will be binding upon such subcontractors and vendors.

NON-DISCRIMINATION PROVISION

"The City of Durham opposes discrimination on the basis of race and sex and urges all of its contractors to provide a fair opportunity for minorities and women to participate in their work force and as subcontractors and vendors under city contracts."



CITY OF DURHAM

SMALL DISADVANTAGED BUSINESS ENTERPRISE

PROCUREMENT FORMS



Equal Opportunity/ Equity Assurance Department

Mailing Address:

101 City Hall Plaza
Durham, North Carolina 27701

Street Address:

302 E. Pettigrew Street
Suite C-180
Durham, North Carolina 27701

Phone: (919) 560-4180

Facsimile: (919) 560-4513

SMALL DISADVANTAGED BUSINESS ENTERPRISE ORDINANCE ENTERPRISE ORDINANCE PROCUREMENT DOCUMENTATION

If applicable information is not submitted with your bid, your bid will be deemed non-responsive.

Declaration of Performance must be completed and submitted with your bid.

Managerial Profile must be used to list the managerial persons in your work force who will be participating in this project.

Equal Employment Opportunity Statement for your company must be completed and submitted with your bid.

Employee Breakdown must be completed and submitted for the location providing the service/commodity. If the parent company will be involved in providing the service/commodity on the City contract, a consolidated employment breakdown must be submitted.

DECLARATION OF PERFORMANCE BY VENDOR/CONTRACTOR

Briefly address each of the following items:

1. A brief synopsis of the company and the products/services it provides:
2. Describe the normal procedure used on a bid of this type, giving the flow of purchase from the company to the ultimate purchaser:
3. List anyone outside of your company with whom you will contract on this bid:

The undersigned vendor/contractor certifies that:

- (a) It is normal business practice of the vendor/contractor to perform all elements of the contract with its own work force without the use of contractors/vendors; and
- (b) That the above documentation demonstrates this firm's capabilities to perform all elements of the contract with its own work force or without the use of subcontractors/vendors.
- (c) The vendor/contractor will use a subconsultant(s) in the fulfillment of this scope of work.

Date

Authorized Signature

MANAGERIAL PROFILE

Name of Firm: _____

Contact Person: _____

Title: _____

Address: _____

Telephone No.: _____

Date: _____

List the managerial persons in your work force who will be participating in this project, including name, position, and whether the individuals are minority or woman within the definition* of the City of Durham's Equal Business Opportunity Ordinance.

Managerial Employees

NAME	POSITION	SOCIALLY/ECONOMICALLY DISADVANTAGED* (YES/NO)
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____
_____	_____	_____

* M-Minority(African American), W-Woman, Other-H-Hispanic, AI-American Indian, AS-Asian American, Handicapped

EQUAL OPPORTUNITY STATEMENT

(You may submit your organization's EEO policy in lieu of this sheet)

Complete this page

EMPLOYEE BREAKDOWN

Part A – Employee Statistics for the Primary Location

MALES

FEMALES

Employment Category	Total Employees	Total Males	Total Females	White	Black	Hispanic	Asian or Alaskan Islander	Indian or Alaskan Native	White	Black	Hispanic	Asian or Pacific Islander	Indian or Alaskan Native
Project Manger													
Professional													
Labor													
Clerical													
Totals													

Part B – Employee Statistics for the Consolidated Company (*See instructions for this form on whether this part is required.*)

MALES

FEMALES

Employment Category	Total Employees	Total Males	Total Females	White	Black	Hispanic	Asian or Alaskan Islander	Indian or Alaskan Native	White	Black	Hispanic	Asian or Pacific Islander	Indian or Alaskan Native
Project Manger													
Professional													
Labor													
Clerical													
Totals													

EEO-1 Report may be submitted in lieu of this form

PURCHASE CONTRACT

STATE OF NORTH CAROLINA
COUNTY OF DURHAM

DRAFT COPY DO NOT COMPLETE

THIS CONTRACT, made and entered into this XXX day of XXX, for **Vehicles** between the **City of Durham**, a N.C. municipal corporation ("City") and **XXX** the ("Seller"), whose principal office and place of business is at the following address XXX.

If seller is a corporation or limited partnership, Seller is organized under the laws of the State of _____.

IT IS AGREED:

1. Seller, in consideration of the sums to be paid as provided in the attachments and in accordance with section 3 below, agrees to sell and to deliver to the City, at the times, in the quantities and quality, at the prices, and to the places, the goods described in the following attachments that are made a part of this contract:

<u>X</u>	Advertisement	<u>X</u>	Instructions to Bidders		General Conditions
<u>X</u>	Proposal	<u>X</u>	Specifications	<u>X</u>	Special Conditions
	Performance Bond	<u>X</u>	Sections 6, 7, and 8 on the reverse hereof		
<u>X</u>	EEO Provisions	<u>X</u>	Non-Discrimination Provision		

2. This contract is known as Bid No. **11-082-12** in the files of the City's Purchasing Division.
3. The estimated sum to be paid by the City under this contract is **\$XXX**.

WHEREFORE, City has caused this contract to be executed under authority of its City Council, and Seller (if corporate) has executed this contract under seal by authority of its board of directors; if not corporate, the Seller has executed this contract under seal pursuant to proper authority.

ATTEST:

CITY OF DURHAM

.....

IF SELLER IS NOT A CORPORATION

Notary Public

Type or print name of Seller

(See instruction 3(b) on reverse.) Affix notarial seal. by: _____(Seal)
My commission expires: _____
Signature

.....

IF SELLER IS A CORPORATION

ATTEST:

Corporate Secretary

Type or print the correct name of corporation

(Affix Corporate seal)

by: _____
President or Vice President

Instructions for Completing Contract Documents

1. This contract must be executed in duplicate originals and returned within 30 days to the City's Purchasing Department for execution by the City. One original will be returned to your firm and the other will be filed with the City Clerk.
2. If the Seller is a corporation...
 - (a) An original corporate seal must be affixed.
 - (b) The correct corporate name must be used. If a division of the corporation is involved, the corporation itself should execute the contract.
 - (c) This signature must be that of one of the following: (1) the President, (2) Vice President, or (3) a person authorized by the board of directors to execute contracts in general or this particular contract.
 - (d) If someone other than the President or Vice President signs, then you must attach a copy of the resolution of the board of directors authorizing the other person to sign the contract. That copy must be certified by a corporate secretary, with the corporation's seal impressed on it. A document in the following form will comply with these requirements, although other forms may also be acceptable:

Resolution Authorizing Execution of Contracts

RESOLVED, that [insert name of person authorized to sign] shall have authority to enter into contracts with, and to execute performance bonds for the benefit of, the City of Durham, N.C., in the name of and on behalf of [insert corporation's name] related to City of Durham Bid No. [insert bid number].

I, a Secretary or Assistant Secretary of the corporation whose name is indicated hereinabove, certify that the foregoing is a true copy of a resolution of duly adopted by the Board of Directors of said corporation, and that said resolution is still in effect.

This the _____ day of _____, 20____.
(Affix corporate seal)

Secretary or Assistant Secretary

3. If the Seller is not a corporation...
 - (a) The individual owner or partner must sign.
 - (b) The notary public's signature will be understood to mean that the notary certifies that the person whose signature is to the right of the notary's signature appeared before the notary and acknowledge the execution of the contract.
4. WHEN A PERFORMANCE BOND IS REQUIRED - (a) The principal amount is the full amount of the contract. (b) The form provided by the City must be executed by a corporate surety **authorized to do business in North Carolina**. The N.C. resident agent's name and address and the surety's address must be shown. (c) The Power of Attorney for the surety's Attorney in Fact must be attached to the bond. The surety's corporate secretary must indicate that the Power of Attorney is still in effect. The surety's corporate seal must be actually impressed on the Power of Attorney. (d) The Attorney in Fact's signature must be notarized. Contact the Purchasing Department if you need a notarization form. (e) the seller must execute the bond, using instructions 2 and 3 above as to how to do so.
5. Don't alter the documents without first obtaining authorization from the City's Purchasing Department.
6. Warranties and Indemnification. In addition to other warranties made in this transaction, Seller represents and warrants that all of the products furnished under this contract, the process by which those products are made, and their use will not infringe any patent, trademark, or other rights of any other person, firm, or corporation, and Seller shall defend, indemnify, and hold harmless City and its officers, officials, agents, contractors, and employees from and against any and all claims, judgments, costs, damages, losses, demands, liabilities, obligations, fines, penalties, royalties, settlements, and expenses (including interest and reasonable attorney's fees assessed as part of any such item) arising out of any (i) actual or alleged infringement of any such patent, trademark, or other rights, or (ii) (except to the extent that the personal injury, death, or property damage is caused solely by negligent or intentional acts or omissions of the City) personal injury, death, or property damage allegedly caused by or resulting from the delivery to the City of, or the manufacture, construction, design, formulation, development of standards, preparation, processing, assembly, testing, listing, certifying, warning, instructing, marketing, selling, advertising, packaging, or labeling of any product furnished to the City under this contract. Without reducing City's rights under this section, Seller, in case of an actual or threatened claim, may at Seller's option and expense procure for City the right to continue using the products furnished under this contract. (The preceding sentence does not pertain to part "(ii)" of the first sentence of this section.)
7. The individuals executing this contract warrant that they have authority to execute this contract on behalf of the Seller.
8. This Contract shall be deemed made in Durham County, North Carolina, and shall be governed by and construed in accordance with the law of North Carolina. The exclusive forum and venue for all actions arising out of this Contract shall be the North Carolina General Court of Justice, in Durham County. Such actions shall neither be commenced in nor removed to federal court. This section shall not apply to subsequent actions to enforce a judgment entered in actions heard pursuant to this section.